

31

HARLEN QUADRANGLE

Station: CAMP

County: HARLAN

State: KENTUCKY

Observer: E. L. McNAIR

Year: 1916 Datum: Approx. 1927 N.A.D.

Description:

About 2.5 mi S. of Wallins Creek station, on W. side of Wallins Creek, and at head of Camp Branch, Foresters and Ginseng creeks. From Wallins Creek follow power line of Kentucky Utilities Co. to top of ridge, then follow ridge to top of mountain. Knob is well cleared except a narrow strip along the ridge westward.

Station mark: A drill hole 2.5 in. deep in solid ledge of rock.

Reference marks: (1) A drill hole 2.5 in. deep in shale rock with arrow pointing to station mark; distant 9.3 ft., true azimuth $289^{\circ}24'$; (2) white-oak signal tree 2 ft. in diameter, distant 12.65 ft; true azimuth $341^{\circ}47'$.

[Latitude 35 46 58.01

Longitude 83 25 20.32]

To Station—	Azimuth ° ' "	Back Azimuth ° ' "	Distance	
			Log. Meters	Miles
AZIMUTH & DISTANCE ON N.A.D.				
White Rock	11 18 08.41	191 17 05.51	4.124939	8.282
Tejay	66 03 56.88	246 00 11.16	4.0101507	6.361
Paint Gap	138 51 06.43	318 44 22.91	4.4029135	15.713
Harlan	215 55 37.75	35 59 22.84	4.1997811	9.843
Grays Knob	267 18 26.21	87 23 08.87	4.0689409	7.283

31

HARLAN QUADRANGLE

Station: HARLAN

County: HARLAN COUNTY

State: KENTUCKY

Observer: E.L. McNAIR

Year: 1916 Datum: Approx. 1927 N.A.D.

Description:

On Pine Mountain about 4 miles north of Harlan. Station may be reached from Gatun flag station on Louisville & Nashville Railroad, from which a road leads across Pine Mountain. Road is very rough and suitable only for saddle horses. Station is a short half mile west of gap where road crosses the mountain. Old station mark has disappeared, but new position is about the same as the old.

Station mark: A jelly glass inverted, set 1 foot below surface of ground

Reference mark: A drill hole 2.5 in. deep in shale ledge of rock, which projects slightly above ground; distant 7.65 ft., true azimuth $241^{\circ}35'$.

[Latitude 36 53 53.94

Longitude 83 19 04.8

To Station—	Azimuth ° ' "	Back Azimuth ° ' "	Distance	
			Log. Meters	Miles
Camp	35 59 22.843	215 55 37.75	4.1997811	9.843
Paint Gap	103 32 17.94	283 21 48.34	4.4260012	16.571
Stinnett	145 00 30	324 55 23	4.34218	13.662
Thousand Stick	165 04 05	345 01 00	4.48793	19.111
Thousand Stick a	165 03 38.73	345 00 25.18	4.4879384	19.111
Bad	179 57 31.00	359 57 31.00	4.2429300	10.871
Brashear a	214 01 51.14	34 08 06.57	4.4397113	17.103
Long Spur a	259 23 36.48	79 33 32.52	4.3976120	15.523
Grays Knob	348 56 39.77	168 57 37.80	4.0973134	7.774
NOTE: From Table Rock and Ivy, W. Va., station of USC&GS				
A From Bull. 496, P. 116				

31

HARLAN QUADRANGLE

Station: GRAYS KNOB

County: HARLAN

State: KENTUCKY

Observer: E.L. McNAIR

Year: 1916 Datum: Approx. 1927 N.A.D.

Description:

On Little Black Mountain, 5 mi. by rd. SE. of Harlan. Follow public rd. up Martins Fork to mouth of Grays Branch. Station is at head of Grays Branch, about 2 mi. S. of Martins Fork. Knob is sharp and well cleared.

Station mark: Dead stub of old signal tree.

[Latitude 37 47 15.60

Longitude 83 17 28]

To Station—	Azimuth			Back Azimuth			Distance	
	°	'	"	°	'	"	Log. Meters	Miles
White Rock (K)	46	29	55	226	24	10	4.295623	
Long Spur (K)	232	44	14	52	53	11	4.444875	
Harlan (K)	168	57	46	348	56	48	4.097454	
Paint Gap (K)	123	12	27	303	01	00	4.529809	
White Rock (Mc)	46	30	39.25	226	24	53.99	4.2958581	12.280
Camp (Mc)	87	23	08.86	267	18	26.12	4.0689409	7.283
Harlan (Mc)	168	57	37.79	348	56	39.77	4.0973134	7.774

NOTE: (K) positions by F. J. Knight, 1885
 (Mc) positions by E. L. McNair, 1916

31

HARLEN QUADRANGLE

Station: CAMP

County: HARLAN

State: KENTUCKY

Observer: E. L. McNAIR

Year: 1916 Datum: Approx. 1927 N.A.D.

Description:

About 2.5 mi S. of Wallins Creek station, on W. side of Wallins Creek, and at head of Camp Branch, Foresters and Ginseng creeks. From Wallins Creek follow power line of Kentucky Utilities Co. to top of ridge, then follow ridge to top of mountain. Knob is well cleared except a narrow strip along the ridge westward.

Station mark: A drill hole 2.5 in. deep in solid ledge of rock.

Reference marks: (1) A drill hole 2.5 in. deep in shale rock with arrow pointing to station mark; distant 9.3 ft., true azimuth $289^{\circ}24'$; (2) white-oak signal tree 2 ft. in diameter, distant 12.65 ft; true azimuth $341^{\circ}47'$.

[Latitude 35 46 58.01

Longitude 83 25 20.32

]

To Station—	Azimuth	Back Azimuth	Distance	
			Log. Meters	Miles
AZIMUTH & DISTANCE ON N.A.D.				
White Rock	11 18 08.41	191 17 05.51	4.124939	8.282
Tejay	66 03 56.88	246 00 11.16	4.0101507	6.361
Paint Gap	138 51 06.43	318 44 22.91	4.4029135	15.713
Harlan	215 55 37.75	35 59 22.84	4.1997811	9.843
Grays Knob	267 18 26.21	87 23 08.87	4.0689409	7.283

HARLAN QUADRANGLE

Station: HARLAN

County: HARLAN COUNTY

State: KENTUCKY

Observer: E.L. McNAIR

Year: 1916 Datum: Approx. 1927 N.A.D.

Description:

On Pine Mountain about 4 miles north of Harlan. Station may be reached from Gatun flag station on Louisville & Nashville Railroad, from which a road leads across Pine Mountain. Road is very rough and suitable only for saddle horses. Station is a short half mile west of gap where road crosses the mountain. Old station mark has disappeared, but new position is about the same as the old.

Station mark: A jelly glass inverted, set 1 foot below surface of ground

Reference mark: A drill hole 2.5 in. deep in shale ledge of rock, which projects slightly above ground; distant 7.65 ft., true azimuth 241°35'.

[Latitude 36 53 53.94

Longitude 83 19 04.8]

To Station—	Azimuth	Back Azimuth	Distance	
			Log. Meters	Miles
Camp	35 59 22.843	215 55 37.75	4.1997811	9.843
Paint Gap	103 32 17.94	283 21 48.34	4.4260012	16.571
Stinnett	145 00 30	324 55 23	4.34218	13.662
Thousand Stick	165 04 05	345 01 00	4.48793	19.111
Thousand Stick a	165 03 38.73	345 00 25.18	4.4879384	19.111
Bad	179 57 31.00	359 57 31.00	4.2429300	10.871
Brashear a	214 01 51.14	34 08 06.57	4.4397113	17.103
Long Spur a	259 23 36.48	79 33 32.52	4.3976120	15.523
Grays Knob	348 56 39.77	168 57 37.80	4.0973134	7.774

NOTE: From Table Rock and Ivy, W. Va., station of USC&GS

A From Bull. 496, P. 116

HARLAN QUADRANGLE

Station: GRAYS KNOB

County: HARLAN

State: KENTUCKY

Observer: E.L. McNAIR

Year: 1916 Datum: Approx. 1927 N.A.D.

Description:

On Little Black Mountain, 5 mi. by rd. SE. of Harlan. Follow public rd, up Martins Fork to mouth of Grays Branch. Station is at head of Grays Branch, about 2 mi. S. of Martins Fork. Knob is sharp and well cleared.

Station mark: Dead stub of old signal tree.

[Latitude 37 47 15.60

Longitude 83 17 28]

To Station—	Azimuth ° ' "	Back Azimuth ° ' "	Distance	
			Log. Meters	Miles
White Rock (K)	46 29 55	226 24 10	4.295623	
Long Spur (K)	232 44 14	52 53 11	4.444875	
Harlan (K)	168 57 46	348 56 48	4.097454	
Paint Gap (K)	123 12 27	303 01 00	4.529809	
White Rock (Mc)	46 30 39.25	226 24 53.99	4.2958581	12.280
Camp (Mc)	87 23 08.86	267 18 26.12	4.0689409	7.283
Harlan (Mc)	168 57 37.79	348 56 39.77	4.0973134	7.774

NOTE: (K) positions by F. J. Knight, 1885
 (Mc) positions by E. L. McNair, 1916

31

HARLEN QUADRANGLE

Station: CAMP

County: HARLAN

State: KENTUCKY

Observer: E. L. McNAIR

Year: 1916 Datum: Approx. 1927 N.A.D.

Description:

About 2.5 mi S. of Wallins Creek station, on W. side of Wallins Creek, and at head of Camp Branch, Foresters and Ginseng creeks. From Wallins Creek follow power line of Kentucky Utilities Co. to top of ridge, then follow ridge to top of mountain. Knob is well cleared except a narrow strip along the ridge westward.

Station mark: A drill hole 2.5 in. deep in solid ledge of rock.

Reference marks: (1) A drill hole 2.5 in. deep in shale rock with arrow pointing to station mark; distant 9.3 ft., true azimuth $289^{\circ}24'$; (2) white-oak signal tree 2 ft. in diameter, distant 12.65 ft; true azimuth $341^{\circ}47'$.

[Latitude 35 46 58.01

Longitude 83 25 20.32]

To Station—	Azimuth ° ' "	Back Azimuth ° ' "	Distance	
			Log. Meters	Miles
AZIMUTH & DISTANCE ON N.A.D.				
White Rock	11 18 08.41	191 17 05.51	4.124939	8.282
Tejay	66 03 56.88	246 00 11.16	4.0101507	6.361
Paint Gap	138 51 06.43	318 44 22.91	4.4029135	15.713
Harlan	215 55 37.75	35 59 22.84	4.1997811	9.843
Grays Knob	267 18 26.21	87 23 08.87	4.0689409	7.283

31

HARLAN QUADRANGLE

Station: HARLAN

Observer: E.L. McNAIR

County: HARLAN COUNTY

State: KENTUCKY

Year: 1916 Datum: Approx. 1927 N.A.D.

Description:

On Pine Mountain about 4 miles north of Harlan. Station may be reached from Gatun flag station on Louisville & Nashville Railroad, from which a road leads across Pine Mountain. Road is very rough and suitable only for saddle horses. Station is a short half mile west of gap where road crosses the mountain. Old station mark has disappeared, but new position is about the same as the old.

Station mark: A jelly glass inverted, set 1 foot below surface of ground

Reference mark: A drill hole 2.5 in. deep in shale ledge of rock, which projects slightly above ground; distant 7.65 ft., true azimuth $241^{\circ}35'$.

[Latitude 36 53 53.94

Longitude 83 19 04.8]

To Station—	Azimuth	Back Azimuth	Distance	
			Log. Meters	Miles
Camp	35 59 22.843	215 55 37.75	4.1997811	9.843
Paint Gap	103 32 17.94	283 21 48.34	4.4260012	16.571
Stinnett	145 00 30	324 55 23	4.34218	13.662
Thousand Stick	165 04 05	345 01 00	4.48793	19.111
Thousand Stick a	165 03 38.73	345 00 25.18	4.4879384	19.111
Bad	179 57 31.00	359 57 31.00	4.2429300	10.871
Brashear a	214 01 51.14	34 08 06.57	4.4397113	17.103
Long Spur a	259 23 36.48	79 33 32.52	4.3976120	15.523
Grays Knob	348 56 39.77	168 57 37.80	4.0973134	7.774

NOTE: From Table Rock and Ivy, W. Va., station of USC&GS

A From Bull. 496, P. 116

36-083-14
HARLAN QUADRANGLE
31 KENTUCKY
N3645-W8315/15
DIAGRAM NJ 17-10
JOHNSON CITY

Bell, Harlan and Leslie Counties

Edition of 7/21/76

PR: CRV/rmm

Plane coordinates are based on Lambert
projection, Kentucky, South Zone

Only the permanent marks are listed for control classified obsolete and are not shown on sketch

HYDEN
(59)

PINEVILLE
(32)

NOLANSBURG
(30 KY.-62 VA.)

Harlan

HAGAN
(3 KY.-197 TENN.-31 VA.)

36°45'

15805.8

DISCLAIMER

We no longer attest to the validity of the positions listed for horizontal control established by transit traverse procedures. This control is now considered OBSOLETE and is included in this list for the purpose of identification only.

31 KENTUCKY
HARLAN QUADRANGLE

36-083-14
N3645-W8315/15

INDEX OF PERMANENT MARKS

MARK (USGS)

PAGE NO.

Z 254 1951 1337.533

3

31 KENTUCKY
HARLAN QUADRANGLE

36-083-14

3

STATION DESCRIPTION
 PLANE COORDINATES, FEET

LATITUDE
° ' "

LONGITUDE
° ' "

The following position is considered OBSOLETE. To be used only to locate permanent marks in the field.

By C. W. Haas, and J. M. Halsey, 1952; Book AS 88

Stoney Fork, 6.5 mi NE. of Baptist Church, along State Highway 221; 31 ft NW. of, and 4 ft higher than centerline of hwy.; at SW. end of curve; 60 ft W. of NW. end of pipe culvert; 31 ft SE. of S. corner of small shack; 2 ft NW. of E. corner of rock; in flat outcrop of rock; NGS standard disk stamped "Z 254 1951 1337.533"

X = 2,677,894

Y = 205,446

36 52 29.23

83 25 56.17

31

HARLAN QUADRANGLE

Station: GRAYS KNOB

County: HARLAN

State: KENTUCKY

Observer: E.L. McNAIR

Year: 1916 Datum: Approx. 1927 N.A.D.

Description:

On Little Black Mountain, 5 mi. by rd. SE. of Harlan. Follow public rd. up Martins Fork to mouth of Grays Branch. Station is at head of Grays Branch, about 2 mi. S. of Martins Fork. Knob is sharp and well cleared.

Station mark: Dead stub of old signal tree.

[Latitude 37 47 15.60

Longitude 83 17 28]

To Station—	Azimuth ° ' "	Back Azimuth ° ' "	Distance	
			Log. Meters	Miles
White Rock (K)	46 29 55	226 24 10	4.295623	
Long Spur (K)	232 44 14	52 53 11	4.444875	
Harlan (K)	168 57 46	348 56 48	4.097454	
Paint Gap (K)	123 12 27	303 01 00	4.529809	
White Rock (Mc)	46 30 39.25	226 24 53.99	4.2958581	12.280
Camp (Mc)	87 23 08.86	267 18 26.12	4.0689409	7.283
Harlan (Mc)	168 57 37.79	348 56 39.77	4.0973134	7.774

NOTE: (K) positions by F. J. Knight, 1885
(Mc) positions by E. L. McNair, 1916

THIRD-ORDER LEVELING
NATIONAL GEODETIC VERTICAL DATUM OF 1929

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

36-083-14
HARLAN QUADRANGLE
31 KENTUCKY
N3645-W8315/15
DIAGRAM NJ 17-10
JOHNSON CITY


Bell, Harlan, and Leslie
Counties

Final adjustment of 1976

Edition of 9/9/76

PR: FJK/kp

HYDEN
(59)



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 360831

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
1088.006 KY	6	1295 KY	5
1093 KY	6	1325 KY	5
1131 KY	4	1326 KY	5
1137 KY	4	1328 KY	4
1165 KY	5	1429 KY	3
1173.944 KY	3	1628 KY	5
1177.521 KY	6	1798 KY	3
1194 KY	4	2219 KY	5
1199 KY	3	2707 KY	3
1208 KY	4	2887 KY	5
1214 KY	6	1158 LEXINGTON	3
1229 KY	4	1197 LEXINGTON	3
1255 KY	4	1238 LEXINGTON	3
1262 KY	5	1328 LEXINGTON	3

ISOLATED BENCH MARKS (By F. L. Foust, 1903; Book A5597)

Feet

Harlan (Mt. Pleasant), 20 ft E. of E. corner of courthouse; on iron post; standard cap stamped "1197 LEXINGTON" (Not found, 1953)	1197.061
Harlan, 5.0 mi N. of; 200 ft W. of W. bank of Poor Fork; 0.2 mi S. of mouth of English Creek; 15 ft S. of SE. corner of Ross Point School; on iron post; standard cap stamped "1238 LEXINGTON" (Not found, 1978)	1238.020
Eassy Post Office, 700 ft N. of; 5.0 mi SE. of Harlan; 300 ft W. of Cattrons Creek and Slaters Fork; 300 ft W. of Norris Napier's residence; 20 ft E. of rd.; on iron post; standard cap stamped "1328 LEXINGTON" (Not found, 1953)	1327.589
Layman Post Office, 1.3 mi S. of; W. bank of Forrester Creek; 200 ft W. of residence of Frank Saylor; in rock; standard tablet stamped "1158 LEXINGTON" (Not found, 1954)	1158.036
By S. R. Archer, 1915; Book A9702	
Helton Post Office, 1.2 mi NE. of; 300 ft N. of mouth of Big Branch; on E. bank and 5 ft above water level of Beech Fork; in sandstone outcrop; standard tablet stamped "1199 KY"	1198.796
Helton Post Office, 1.2 mi NE., thence 3.62 mi SE. of; 350 ft N. of mouth of Rubens Branch; at old splash dam; on E. side of rd. and Beech Fork; at bend in rd. to SE.; in top of large white sandstone rock; standard tablet stamped "1429 KY"	1429.777
Bledsoe Post Office, 0.5 mi NE. of; just N. of last forks of Beech Fork; 140 ft E. of rd. forks; 60 ft W. of hwy. bridge over Beech Fork; on N. side and 20 ft from rd.; in top of large sandstone rock; standard tablet stamped "1798 KY" (Not found, 1953)	1798.556
Gatun Station, 2.4 mi N. of; top of Pine Mountain; in low gap at point where rd. leaves top of mountain to descend to Poor Fork of Cumberland River; 0.1 mi E. of gap where rd. crosses mountain; on N. side of rd., E. side and 12 ft above gap; in top of sandstone rock outcrop; standard tablet stamped "2707 KY" (Not found, 1978)	2707.995
Baxter, at Louisville and Nashville RR. station; 9 ft W. of W. rail of W. track; 58 ft SW. and across track from SW. corner of station; about 1.5 ft below level of track; in top of W. end of N. abutment of RR. bridge No. 6 over Cumberland River; standard tablet stamped "1173.944 KY" (Tied by NGS, 1952)	1173.944

ISOLATED BENCH MARKS (Cont'd.)Feet

Gatun station, 0.9 mi E. of; at Ross Point Post Office; at S. end of incline over Pine Mountain; 170 ft E. and 100 ft S. of mail crane; 150 ft E. and 100 ft S. of RR. culvert over branch from N.; 100 ft E. and 100 ft S. of second rd. crossing RR.; 50 ft S. of right-of-way line in field; in top of sandstone rock; standard tablet stamped "1194 KY" (Not found, 1953)	1194.690
Rhea station, 0.75 mi E. of; 130 ft E. and 60 ft N. of rd. crossing RR.; 150 ft E. of Elijah Sargent's residence; in orchard on N. side of RR. and hwy.; inside of fence; in top of sandstone rock; standard tablet stamped "1328 KY"	1238.114
By S. R. Archer, 1916; Book A9766, A9783	
Harlan, 3.95 mi E. along State Highway 38 from junction of U. S. Highway 421, thence 0.1 mi N. along rd. to Coxton School over bridge and RR. tracks; 40 ft S. of S. rail of extreme S. track; about 180 ft E. of crossing of rd. and track; about 3.5 ft above walk; in top of SW. corner of concrete porch of S. entrance of Coston School No. 2 (Formerly a theatre building); standard tablet stamped "1229 KY" (Note: This mark is so badly mutilated that it was impossible to make rubbing or to stamp elevation.) (Tied by NGS, 1953)	1233.488
Cawood Post Office, 2.84 mi NW. of; 775 ft S. of mouth of Turtle Creek; 150 ft E. of rd.; 50 ft S. of schoolhouse; in top of large sandstone rock; standard tablet stamped "1255 KY" (Reported disturbed, 1953)	1254.650
Grays Knob Post Office, 0.76 mi W. of; just E. of bend in Martin Fork to E.; at mouth of Upper Napper Branch (log house standing in mouth of); 160 ft S. of RR. culvert over branch; on W. side of branch; 1.5 ft above bed and at edge of water; in top of large sandstone rock; standard tablet stamped "1208 KY"	1207.825
Wallins station, 0.2 mi SE. of Louisville & Nashville RR. concrete bridge over mouth of Wallins Creek; on S. side of track; 10 ft E. of W. end of top of guard wall; standard tablet stamped "1131 KY"	1131.345
Wilhoit station, 1.19 mi W. of; 3.05 mi NE. of Wallins station; in top of N. end of concrete RR. culvert over mouth of Hiram Saylor Branch; standard tablet stamped "1137 KY" (Not found, 1954)	1137.080

ISOLATED BENCH MARKS (Cont'd.)Feet

Emerling station, 0.26 mi NW. of; in top of N. end of E. abutment of L. & N. RR. bridge over Cumberland River; standard tablet stamped "1165 KY"	1165.129
Wallins, 3.2 mi S. of; at mouth of Ginseng Branch; 160 ft SW. of RR. crossing old bed of Ginseng Branch; 30 ft N. and 90 ft W. of N. end of L. & N. RR. trestle over Wallins Creek; about in center of bottom at mouth of branch; on highest point of land in bottom; in top of large sandstone rock; standard tablet stamped "1325 KY"	1324.711
Wallins, 3.2 mi S. of, thence 2.0 mi SW.; 25 ft N. and 65 ft E. of center of gap in ridge between Ginseng Branch of Wallins Creek and Jackson Mill Branch of Puckett Creek; 34 ft lower than gap; on Ginseng Branch side; at foot on lower side of cluster of three trees (one tree broken off 16 ft above ground); in top projection of sandstone outcrop; standard tablet stamped "2887 KY"	2887.191
Hulen station, 6.0 mi SE. of; on Jackson Mill Branch; 0.2 mi above its mouth; on W. side of branch and rd.; opposite and 275 ft W. of residence of Josh Howard; 150 ft NW. of Josh Haward's barn; 65 ft N. of rd. crossing branch; at foot on E. side of low spur ridge from N.; 40 ft W. of rd.; in top of sandstone rock; standard tablet stamped "1326 KY" (Not found, 1954)	1326.228
Wallins station, 3.8 mi NW. of; in Trace Gap; at top of Pine Mountain; 60 ft N. of point where trail crosses center of gap; on E. side and about 15 ft higher than gap; in top of large sandstone rock; standard tablet stamped "2219 KY" (Not found, 1954)	2218.998
Wallins station, 5.02 mi NW. of; on E. bank of Salt Trace Branch of Straight Creek; 0.27 mi above its mouth; at NW. corner of house; W. side of rd.; in top of sandstone rock; standard tablet stamped "1262 KY" (Reported destroyed, 1952)	1262.624
Asher Post Office, 13.38 mi SW. of; at mouth of Stagger Branch of Middle Fork of Kentucky River; 85 ft W. of rd. forks; between house and store of John D. Wilson; in top of large sandstone rock; standard tablet stamped "1628 KY" (Reported destroyed, 1974)	1628.362
Asher Post Office, 10.64 mi S. of; 200 ft S. of mouth of Turkey Creek; 170 ft S. of wagon ford of Middle Fork of Kentucky River; on W. side of rd.; E. bank of river; in top of large sandstone rock; standard tablet stamped "1295 KY" (Not found, 1954)	1294.969

ISOLATED BENCH MARKS (Cont'd.)Feet

- Asher Post Office, 8.14 mi SW. of; 0.32 mi S. of mouth of Rye Cove Branch; 550 ft S. of schoolhouse; 50 ft E. of Middle Fork; on E. side of rd.; in top of projection at SW. corner (W. face) of large sandstone rock; standard tablet stamped "1214 KY" (Reported disturbed, 1954) 1214.809
- Asher Post Office, 5.5 mi SW. of; 885 ft NE. of mouth of White Oak Branch; 0.17 mi SW. of mouth of Ginseng Branch and War Branch Post Office; 150 ft NE. of splash dam; on E. bank of Middle Fork of Kentucky River; on W. side of, and below rd.; about 7 ft above bed of river; in top of large sandstone rock; standard tablet stamped "1093 KY" (Not found, 1974) 1093.628
- Chappell, about 3.55 mi SE. along graveled rd., thence about 0.6 mi NE. along dirt rd. following Greasy Creek from post office, thence about 0.1 mi N. along White Oak Creek rd.; at point where rd. fords creek; 11 ft W. of, and about 2 ft higher than centerline of rd.; in top of E. edge of large sloping outcrop of rock which is between rd. and creek; standard tablet stamped "1088.006 KY" (Note: The mark is mutilated but solid.) (Tied by NGS, 1952) 1088.006
- Napier, about 1.5 mi SE. along rd. following Greasy Creek from post office; about 0.1 mi W. of rd. S. and confluence of Greasy Creek and Abner Branch; about 0.1 mi SE. of old church; about 186 ft SW. of NW. end of ft suspension bridge over Greasy Creek; on NW. bank of creek; 90 ft NW. of, and about 5 ft higher than centerline of rd.; set vertically in SE. face of SW. end of rock cliff; standard tablet stamped "1177.521 KY" (Note: The mark is mutilated but solid.) (Tied by NGS, 1952) 1177.521